

START DATE 01/09/2021  
 END DATE 08/09/2021

APPLICANT

**RESIN PRO SRL**  
**Via XXV Aprile Z.I. Snc**  
**19021 Arcola SP**

**SAMPLE DESCRIPTION** Quotation No. 1775 REV.1/FCA (2021)  
 Sample Received 01/09/2021  
 Reference: POLYFORM  
 Colour: BIANCO  
 Batch number: 07/21  
 Factory Name: ResinPro  
 Material composition: Resina Poliuretana  
 Buyer's Name: RESIN PRO SRL

**Sample 01**

Test	Rating	Failure result
Determination of cadmium. Wet decomposition method UNI EN 1122:2002	P	
PAH detection AfPS GS 2019:01	P	
12000 - Total Lead Content CPSC-CH-E1002-08.3:2012	P	

P = MEETS REQUIREMENT / A = ACCEPTABLE / F = DOES NOT MEET REQUIREMENT / NR = NO REQUIREMENT / SC = STILL CONTINUES / X = NOT PERFORMED  
 Values in brackets represent the limits




LAB N° 0579 L



LAB N° 0579 L

TEST METHOD	SAMPLE DESCRIPTION	PARAMETERS	RESULT	U.M.	LIMITS	LQ	NOTES	LAB
Determination of cadmium. Wet decomposition method UNI EN 1122:2002 Operating Conditions Method: ICP Microwave wet digestion	01	Measurement 1	< 6	mg/kg	100	6		ITA
		Measurement 2	< 6	mg/kg	100	6		ITA
		Average of Cadmium Content	< 6	mg/kg	100 <sup>(1)</sup>	6		ITA
PAH detection AfPS GS 2019:01	01	Benzo[a]pyrene 50-32-8	< 0,2	mg/kg	1	0,2		ITA
		Benzo[e]pyrene 192-97-2	< 0,2	mg/kg	1	0,2		ITA
		Benzo[a]anthracene 56-55-3	< 0,2	mg/kg	1	0,2		ITA
		Benzo[j]fluoranthene 205-82-3	< 0,2	mg/kg	1	0,2		ITA
		Benzo[k]fluoranthene 207-08-9	< 0,2	mg/kg	1	0,2		ITA
		Chrysene 218-01-9	< 0,2	mg/kg	1	0,2		ITA
		Dibenzo[a,h]anthracene 53-70-3	< 0,2	mg/kg	1	0,2		ITA
		Benzo[ghi]perylene 191-24-2	< 0,2	mg/kg	1	0,2		ITA
		Indeno[1,2,3-cd]pyrene 193-39-5	< 0,2	mg/kg	1	0,2		ITA
		Phenanthrene 85-01-8	< 0,2	mg/kg		0,2		ITA
		Pyrene 129-00-0	< 0,2	mg/kg		0,2		ITA
		Anthracene 120-12-7	< 0,2	mg/kg		0,2		ITA
		Fluoranthene 206-44-0	< 0,2	mg/kg		0,2		ITA
		SUM of Phenanthrene, Pyrene, Anthracene, Fluoranthene	N.R.	mg/kg	50			ITA
		Naphtalene 91-20-3	< 0,2	mg/kg	10	0,2		ITA
		SUM (15 PAH)	N.R.	mg/kg	50			ITA

Laboratory Manager

  
 Ilenia Francioni

[ilenia.francioni@intertek.com](mailto:ilenia.francioni@intertek.com)


Validated by: Ilenia Francioni

LAB N° 0579 L

START DATE 01/09/2021  
END DATE 08/09/2021

TEST METHOD	SAMPLE DESCRIPTION	PARAMETERS	RESULT	U.M.	LIMITS	LQ	NOTES	LAB
12000 - Total Lead Content CPSC-CH-E1002-08.3:2012	01	Lead 7439-92-1	< 20	mg/kg	100	20		ITA

## References

<sup>(1)</sup> CADMIUM CONTENT REQUIREMENT IN ANNEX XVII ITEM 23 OF THE REACH REGULATION (EC) NO. 1907/2006 (FORMERLY KNOWN AS DIRECTIVE 91/338/EEC)

## Test performed by:

ITA: Intertek Italia S.p.a.  
Via di Stagno 17 F/G  
50055 Lastra a Signa (FI)

The partial reproduction of the present Test Report is not allowed without written authorization of the General Manager.

The content of the present document refers exclusively to the submitted samples and not to the batch that they want to represent.

A representative portion of the sample is kept for 60 days. Specimen are kept for 30 days.

Samples are drawn by customer.

UM: unit of measurement

Limits are based on Customer's Manual in force available at Intertek Italia S.p.a. - Via di Stagno 17 F/G - 50055 Lastra a Signa (FI)

Uncertainty is the extended uncertainty calculated using a coverage factor of 2 which gives a level of confidence of approximately 95%.

All the results are reported without considering the uncertainty.

LQ: Quantification Limit

As received by the customer, the sample was accepted for testing. The samples description is based only on customer declaration / information

## RESULTS MARKED IN RED EXCEED LIMITS

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Laboratory Manager


  
Ilenia Francioni  
[ilenia.francioni@intertek.com](mailto:ilenia.francioni@intertek.com)

Chemical Lab Manager


  
Dott. Luca Dimonte  
Ordine dei Chimici e dei Fisici della Toscana  
Sez. A Chimico n°2323  
[luca.dimonte@intertek.com](mailto:luca.dimonte@intertek.com)


LAB N° 0579 L